


Catalogue 2016.10 Decorative Door Hardware



Baton Security Products 11521 Salinaz Drive, CA 92843 USA

Tel: (714) 590 6969 Fax:(714) 590 6960

USA / Canada toll free Tel: (877) 228 6699 Fax: (866) 228 6699

Tooling, manufacturing as well as purchasing stock items are additional benefits of doing business with Baton.

www.batonlockusa.com www.batonhardware.com Email: Sales@batonlockusa.com



Dear Clients:

It is our pleasure to present for your reference the latest Catalogue and Price List for the decorative door hardware.

Baton has accumulated the experience in the manufacturing and distribution of the security locking devices and related hardware since 1973. Since then, we have consistently provided clients with a wide range of high quality locking devices along with the edge necessary in today's security industry.

At Baton, our goal is to provide you with the highest quality not only in security products but also in customer service. To assist you with your product needs, our Customer Services Department is open from 8:00 AM until 4:30 PM Pacific Time, Monday through Friday.

The following pages show the product lines we constantly carry in our warehouse located at Garden Grove, California. Nevertheless, tooling, manufacturing as well as purchasing stock items are value added benefits of doing business with us. Your complete satisfaction is our goal. Please call our Customer Service Representatives at 1-877-baton99 (228 6699) and let us know how we can best serve you. Should you have any other needs regarding locking devices, please call our CSR at the following numbers:

Toll free Tel: 1-877 - 228 6699 Fax: 1-866 - 228 6699

- Mortise Door Lock, Low Profile Deadbolts, Tubular Latches and components
- European Profile Cylinders, Rim Cylinders, Key in knob and Mortise Cylinders
- 3. Decorative Hardware
- 4. Special locks for Payphone, Casino, Gaming and Vending Industries.

Toll free Tel: 1-800 - 395 8880 Fax: 1-888 - 395 8880

- High security locks and devices of all kinds for Vending, Laundry, Casino and Video Gaming Industries
- Padlocks Brass, Laminated steel, Hardened steel and Stainless steel for Coin-Op Industries and general public
- 3. Do-it-yourselves general hardware

Sincerely,

Peace Hsu President



baton Sales Policy

Terms and Freight Policy -

All prices are based on FOB our warehouse. Net 30 days can be arranged upon approval on open account others will be C.O.D. or prepaid. Any past due account is subject to a financial charge at 1.5% on unpaid balance billed monthly. No further shipment will be honored until account is brought back to current. Service charges will apply to all the returned checks. Unless you specify otherwise, will use a carrier and route of our choice. Claim for loss or damage in transit should be made by you against the carrier. All goods are shipped at the customers risk; our responsibility ceases upon delivery in good order to the carrier.

<u>Receipt and Return Goods Policy -</u>

Any discrepancy regarding the shipment must be claimed within five (5) days after merchandise received. Any return item should be received within 30 days of invoice date. A "RGA" number must be obtained from our CSR Department prior to the merchandise returned. The returned goods must be in original packaging and salable condition. There will be a 25% restocking charge and freight on merchandise returned or refused for reasons other than defect or incorrect shipment. No special or custom made order can be returned other than factory defect.

Orders and Cancellations -

Order and/or cancellations will not be processed without written confirmation from customer. Any order shipped before written request of cancellation or change is received will incur handling charges as stated above. Special orders and custom made items are not cancelable after a period of 3 days from date of order. Partial orders shall be accepted by the customer and paid for at the contract prices and terms. Order received by Baton constitute acceptance of terms outlined in this document. Baton is not responsible for any loss or damage due to delays or extended delivery dates of goods.

<u>Limited Warranty -</u>

Baton warrants that its products will be free from defects in materials and workmanship (excluding oxidation or discoloration) for a period of one year from the date of sales to the user. Our only obligation will be to replace the defective product or parts upon inspection, together with proof of purchase from one of our agents dated within the warranty period. We assume no liability for any labor charges regarding the removal or reinstallation of the products; nor will we cover any freight, postage, traveling or handling expense relative to the product. Damage caused by accident, misuse, abuse or improper installation are not covered by this warranty. Except as expressly stated herein, there is no warranty, whether expressed or implied, provided by Baton. No other person has authority to assume any obligation or liability in addition to this warranty.

Validity and Special Note -

This catalogue with Price List enclosed is good for six (6) months from the date issued and supersedes all previous catalogues and Price Lists. Baton is not responsible for any typographic errors or errors in indication.

Index by Page

Page	Contentss	Page	Contentss		
01	About us	L01	LT245KS / 245MB Pass Latch & Mortise Bolt		
02	Sales Policy	L02	LT345KE / 367KE (UL) Entrance Latch		
03	Index - by page	L03	LT483 / 486 Hookbolt Latch		
04	Index - by product category	L04	LT583 / 586 Privacy Latch/Knob 28 degree		
		L05	LT595KV Privacy Latch/Knob 5", Faceplate		
A01~A02	Series "A" Mortise Lock Case				
A03~A07	Function Chart - Mortise Lock Case "A"	L06	LT673/676 Pass Latch, small facebore		
A08	Mortise Lock Case - Electrified	L07	LT683 /686 Passage & Privcy Latch		
A09	Mortise Lock Case - Hold-back feture	L08	LT783/786/796 Passage & Privacy Latch		
A10	Faceplate for "A" Mortise Lock Case	L09	LT843 / 846 Pass Latch, through-bolting		
,,,		L10	LT880 / 883 / 886 Privacy Latch, 28 degree		
A11	Strikes for "A" Mortise Lock Case	1.44	TO 45 /700 /700 /700 /700 A		
A12	Ordering guide for "A" Mortise Lock Case	L11	LT245/780/783/786 Mortise Bolt		
A13	A578 Pocket Lock Case, Strike Block	L12	Standard & extended T + Full-lip Strike		
A14	Function Chart - A578	L13	Combo Faceplate + Strike		
A15	TA10 Trim for A578 Pocket Lock	L14	Stabilizer + Power Pack		
1 41/	Dellard and Lords Corner tal Delices	L15	LT-RA281 Rosette Adapter		
A16 A17~A18	Roller Latch Lock Case with Privacy Barn / Pocket Lock Case	L16	 Transfer Unit + Tail Piece		
A17~A16	A775 Deadlock, Hooklock Case & Strike	L10	Transfer Onli + Tall Piece		
A20	AC26, 29 Bevel-Head Mortise Cylinder	T01~T02	Trim/Lever sets order guide		
A20 A21	AC30, 31 Flat-Head Mortise Cylinder	T03	TA30 Trim		
A22	Dummy Cyl, Collar & Padlock	T04	TA40 Trim		
A23~A24	Installation menu 'A' Mortise Lock	T05	TA50 Trim		
ALS ALT	TISTURE TO MOUTISE LOCK	T06	TA60 Trim		
D01	Deadbolt Assemblage - modern	100	17.00 11.111		
D02	Deadbolt Assemblage - classic	T07	TA70 Trim		
D03	Trim rings - modern and classic	T08	TA80 Trim		
D04	Faceplate, Strikes for Deadbolt Latch	T09	TA91 / 92 Trim		
D05	Deadbolt Latch- D400-DA, DB	T10	TA95 / 96 Trim		
		T11	Memo		
D06	Deadbolt Latch- D400-DC, DF				
D07	Deadbolt Latch - D400-DH & custom made	T12	TE-G/H Trim		
D08	Deadbolt/Knob Cylinder and D451P assemblage	T13	TE-U/V/X Trim -1		
	,	T14	TE-U/V/X Trim -2		
D09	Backup Plate & Accessories for Deadbolt Cyl	T15	TF-B/D Trim - 1		
D10	D530, 550 Interior Mortise Lock Case	T16	TF-B/D Trim-2		
D11	D608, 613 Interior Mortise Lock Case				
D12	D827 Lockset & Interconnection Mechanism	T17	TF-E Trim		
		T18	TF-G/H Trim		
E01~E02	E600 E700 E900 Euro Mortise Lock Case	T19	TL Lever -1		
E03	E207-23 E308-25,35,40,50 Euro M Lock,narrow	T20	TL Lever -2		
E04	E240-40, E250-40 Hook & Pocket Lock	T21	TX- KC / KM Knob set		
E05~E06	E260-55 Euro Pocket Lock set				
E07~E08	F408 413 518 Euro DPN Mortise Lock Case	T22	TX- LJ Lever set		
E09~E10	G300 Euro Mortise Lock Case	T23	TX- LK Lever set		
E11~E13	SN Mortise Lock K500 K700	T24	TX- T Turn set		
E14	EC60 EC61 EC62 EC72 Euro Profile Cylinder				
E15	Custom length and 2-tone Euro Profile Cyl	X01~X02	Spindle and Dummy Bracket		
E16	Cylinder Converter & Accessories	X03	Rekey Kit, Key Blanks		
E17~E18	Euro Cylinder Rosette	X04	Rekey Kit - Dimple		
	Camilan Manual Condenius Colds Eduction	X05	In-house Keying service guide		
E19~E22	Service Menus & Ordering Guide-E locks	X06	Inch vs. mm chart		

<u>Index - by product Category</u>

Products	Pages	
Cylinders & Related Accessories		
American style Deadbolt Cylinders, single/double Backup plate & Tail piece Bolting screws & extension Couplers Key in Knob Cylinder Lock Block - for hotel safe Mortise cylinders, Key & T Turn Beveled head style Flat head styles Dummy cyl & Security Collars Padlock	D08, D09 D09 D09 D08 Q2 A20 A21 A22 A22	
Euro Profile cylinders Single/double & Converter Euro Cylinder Rosette Rekeying pin kits In-house keying services	E14~E16 E17, E18 X03, X04 X05	
Deadbolt, Deadbolt Latch & Accesso	ries	
Deadbolt Assemblage Low profile, Modern Low profile, Classic Accessories	D01 D02	
Adopter & Trim rings Bolting screws, Cylinder + Latch + Strike package Deadbolt latch, 2", 2-3/8", 2-3/4" Deadbolt latch, extended backset Deadbolt Latch, 2-3/8" & 2-3/4"	D03 D05 D04 D07 D09	
adjustable, UL 3 hours fire rated Dust Box Interior Mortise Lock Case 1-3/16", 2" Security strike Tail piece -single, double and extended	D08 D06 D10, D11 D06 D05	
Latch/Tubular, Mortise Bolt & Accessories		
Entrance Latch Hockbolt Latch 2-3/8", 2-3/4" Tubular Latch	L02 L03	
1-3/4", 2", 2-3/8", 2-3/4", 5" Extended backset custom latch Mortise bolt	L02~L10 L04~L10	
1-3/4", 2", 2-3/8", 2-3/4", custom made Accessories	L11	
Dust box Emergency Release Key Faceplate, Strike - standard & combo Thumb Turn set for Mortise Bolt Transfer Unit and Thumb Piece	L12 L12 L05,L12,L13 T24 T24	
Mortise Deadlock		
Mortise Deadlock/Hooklock A775 2-3/4" Mortise Deadlock A500,600,700,900 Euro Mortise Hock Deadlock E240	A19 A03~A07 E04	

Products	Pages
Mortise Lock Case & Accessories	•
American Classic - (use w/Mortise Cyl) Mortise lock cases "A" 2", 2-1/2". 2-3/4", 3-1/2" all functions	A01~A12
Roller Latch with Privacy Mortise lock case - Barn door lock Mortise lock case - Electrified Mortise lock - Holdback function Faceplate Strike, Extended Strike & Dust box American interior - Mortise lock cases "D"	A16 A17, A18 A08 A09 A10 A11 D10, D11
Euro Style - use with Euro Profile Cyl Mortise lock "E" (85mm C/C) 2-3/8", 2-3/4", 3-15/16" all function Narrow backset Mortise lock cases Mortise Hock Pock lock Mortise lock "F" EN/DIN certified Mortise Auto lock "F" (72mm C/C) Mortise lock "G" (92mm C/C) Mortise lock "K" (105mm C/C) Store Front Hockbolt "Q" Mortise lock - multi point "Q"	E01, E02 E03 E04~E06 E07 E08 E09~E10 E11~E12 Q01 Q02
Pocket, Barn Door Lock	
Series A - 2" backset all function Barn Door Lock E240,E250 E260 Entrance, Privacy	A13~A15 A17, A18 E04, E06
Store Front Lock	
American style Swing, Hock & Latch Bolt Lever Handle & Cylinder Ring Euro style	Q01 Q01
Hock Bolt	E03
Trim, Lever & Knob sets	1
D827 Lock sets TA Trim sets for 'A' mortise lock TE Trim/Lever sets for 'E' mortise lock TF Trim sets for 'F' mortise lock TL Lever sets for 'LT' Latches TX Knob sets for all Mortise Locks & Latches TX Stainless steel Lever sets for	D12 T03~T10 T12~T14 T15~T18 T19~T23
all Mortise locks & Latches TX T Turns for Mortise Lock,	T22, T23
Mortise Bolt & Latches	T24
Other Accessories	1
Interconnect Mechanism Latfch/rosette stabilizer Power Pack Rosette Adapter Spindles - Dummy, Half, Solid & Swivel Dummy Bracket Thumb Piece Transfer Unit	D12 L14 L14 L15 X01, X02 X01, X02 L16 L16



Series 'Q' Store Front locks Lever Handle & Accessories

Baton series 'Q' Store front locks are made of heavy gauge steel and zinc plated for long lasting operation. The lock cases take any standard Mortise Cylinder (1.15"- 32uns) that is formed with an 'AR' cam. Three models are available:

Model Q1131/1136 Swing Bolt

Two concealed hardened steel rollers are installed inside the laminated swing bolt to add resistance against sawing or cutting through the bolt.

Model Q1231/1236 Hock Bolt

One concealed hardened steel roller is installed inside the laminated hock bolt to add resistance against sawing or cutting through the bolt.

Model Q1331/1336 Latch Bolt

The spring loaded latch bolt is featured with a nylon insert to ensure smooth and quiet operation. Auxiliary latch deadlocking the latch bolt. Specify right hand or left hand when ordering.

Furnished with Aluminum Faceplate and Screws. Available in Aluminum(28) or Duranodic(20A).


The Lever Handle TQ1310 is designed to operate the models Q1331/1336 Latch Bolt. Specify right hand or left hand when ordering. Driving mechanism included. Finishes: Aluminum(28) or Duranodic(20A)

Stock Nos.		k Nos.		
31/	32"	1-1/8"	Description	Fnish
Q17 Q12 Q13	231	Q1136 Q1236 Q1336	•	20A, 28
Т	Q131	10	Lever Handle	

Cylinder Ring/Spacer is made of aluminum and available to order from stock. 1/8" projection. Aluminum or duranodic, please specify.

100

Stock Nos.	Description
Q1070-C1-28	Cylinder Ring, aluminum
Q1070-C1-20A	Cylinder Ring, duranodic



2100 + 150

62.5



Series Q5650 Multi-point Mortise lock Set & Model 5310 Lockblock for Safe

12


Multi-Point Entrance Lock Case

Series Q5650 Heavy duty Mortise Lock case is built with quality metal working parts, ensuring long lasting and trouble free operation. Constructed with four carbon steel locking bolts (each with1-5/16" throw of 5/8" diameter). The interior locking mechanism is comprised of a precision 5-lever system that requires 4 turns of the operating key to unlock from outside. Latch by Lever either side except the deadbolts are thrown by thumb turn inside or key outside. Inside Lever retracts latch & deadbolts simultaneously.

Two models 3 points locking or 5 points locking are available to order. Supplied with 3 operation keys plus one construction

key as standard. Furnished with Lever trim, Strike and mounting accessories. These two models provide state-of-the-art quality for optimal security needs.

Finish: US32D



	105
Stock No.	Description
Q5653LL-32D Q5655LL-32D	Mortise Lock Set, 3-point locking Mortise Lock Set, 5-point locking

Lock Block for Safe

Chrome plated Lockblock is made of solid alloy; constructed with two steel locking bolts and antipicking brass pin tumblers precision. The 11 brass pin tumblers are built in two interlocking rolls, presents tens of millions of different key combinations. The unique user friendly dimple style nickel silver key is reversible. Key Differently (KD) or Master Keying (MKD) are available from stock. One key per lock as standard.

Stock No.	Description
5310DA30F7	Lock Block, KD w/1 key
5310MA30F7	Lock Block, MKD w/1 key

