

WWW.BATONLOCKUSA.COM SELF STORAGE EDITION



baton



- Locks for Resale
- Locks for Overlock
- Locks for Control
- Storage Master Latch & Lock System
- Locks for Extreme Conditions
- Accessories
- Starter Kits

baton[®]
1-800-395-8880



Your **baton** to Security

*Celebrating Over 30 Years
of Unmatched Security
and Service!*

14275 Commerce Dr Garden Grove CA 92843 info@batonlockusa.com

Provide the best in all *around* security for your customers!

Weather Guarded, Price Celebrate

2-3/4" WeatherGuard Disclock

*Hidden case-hardened
steel shackle*

**30,000 combination
10 keyways
5 Pin/5 steps**

*Rust-proof
laser-welded
stainless steel
body*

NEW



4 Drain Holes for any lockup angle

A Best Buy!



baton®
1-800-395-8880

We Give You More for Less
Weather Guarded lock at no extra cost

Your Logo Here!



We do **custom stamping**
and **bumpers**
for OEM distributors!
(quantity order required)



Also ask us about our
custom carding
for as little as 360pcs



Blister



Card

Call Baton today
for details!

714-265-3636

773-060 Series Standard Space Locks

- Rust-proof laser welded stainless steel body.
- Hidden case hardened steel shackle.
- Double-locking protection.
- Brass cylinder with 5 pin tumblers.
- Key removable in locked position only.
- Supplied with 2 Ni-plated brass keys.
- 4 drain holes (Extra hole to push out keyhole clog)
- Also available in 2A (KA/pair).



Special Customization just the way you need it

- 2,3,4,5..... order 1key for X locks for your customers special needs.
- 50mm / 60mm / 70mm / 80 mm
- Customize your color and logo
- Customize your card, your logo to improve store image (min quantities required, call for details).
- Master key option available for manager access.

Weather Cover

773V-070

773-070-B/G/Y/R



773V-060
with 2 key



773V-070
with 3 key



773-060/2A



773-060CUSTOM



761T-50

761T Series Solid Brass Padlocks

- Rust resistant solid brass body for smooth operation in adverse weather conditions.
- Rust-proof stainless steel shackle.
- Double spring half-half loaded latch locking mechanism.
- Anti-pick 5 mushroom pin brass cylinder.
- 15,000 key combinations.
- Supplied with 2 nickel plated brass keys.
- Double blister and sealed at factory for your protection.
- Master Key for manager access available.



763T-45

763 Series Brass Padlocks

- Solid brass body with brass inner mechanisms.
- Hardened steel shackle.
- Double spring half-half loaded latch locking mechanism.
- Anti-pick 5 mushroom pin brass cylinder.
- Supplied with 2 nickel plated brass keys.
- Key removable in both locked and unlocked positions.
- Single carded for environment friendly (EU approval) and easy removal.



789-48

789 Series Combination Padlocks

- Stainless steel case.
- Hardened steel shackle.
- Tumbler discs automatically reset when locked.
- Single carded for environment friendly (EU approval) and easy removal.



772 Series Superior Space Locks

- Rust-proof laser welded stainless steel body and interior construction.
- Hidden case hardened steel shackle that provides tough bolt cutter and hacksaw resistance.
- Double-locking protection, shackle is held in position by a spring-loaded steel stud and cylinder cam.
- 14 pin cross dimple tumbler brass cylinder system, offering up to 20,000 different key combinations and pick resistance.
- Key removable in locked position only.
- Supplied with 2 dimple keys.



772-070



773-070

773-070 Series Standard Space Locks

- Rust-proof laser welded stainless steel body.
- Hidden case hardened steel shackle.
- Double-locking protection.
- Brass cylinder with 5 mushroom pin.
- Key removable in locked position only.
- Supplied with 2 Ni-plated brass keys.
- Also available in 2A (KA/pair).
- Also available from 2" to 3-1/8".



773V-070





786D-40

786D 'Sabre' Series Laminated Padlocks

- Zinc plated laminated steel plates with 8 rivets for security.
- Hardened steel shackle with double ball bearing locking mechanism.
- 'Master' style keyway brass cylinder.
- Individually carded and sealed at factory for your protection.



787D-44

787D 'Baton' Series Laminated Padlocks

- Zinc plated laminated steel plates with 8 rivets for security.
- Triple plated hardened steel shackle with double steel ball bearing locking mechanism.
- Anti-pick 5 mushroom pin cylinder, use Y5 and Y6 keyways, guaranteed 5,000 key combinations.
- Carded and sealed for resale for your protection.
- Available in three popular sizes.
- Also available in a 2A (KA/pair).



787D-40/2A

**761T Series Solid Brass Padlocks
w/ Red Warning Label**

- Rust resistant solid brass body smooth operation in adverse weather conditions.
- Rust-proof stainless steel shackle.
- Double spring half-half loaded latch locking mechanism.
- Anti-pick 5 mushroom pin brass cylinder.
- Supplied with 1 nickel plated brass key.
- Hundreds of KA series for repeat orders.
- Engraved with a red warning message.

761T Series Heavy Duty Brass Padlocks (MK)

- Durable 761T series built to last.
- Supplied with 1 key per lock.
- Individualize MKD series for 100-3000 units with manager access key.

761L Series Long Shackle Brass Padlocks

- Same construction as 761T Series, but features a 4" long shackle.
- Available Keyed-Alike (KA) or Keyed-Different (KD).
- Supplied with 1 keys per lock.
- Available in 3 popular sizes.



770/773 Series Padlocks for Overlock

baton®
800-395-8880



770-200



770-275



773-060



770 Series Brass Blocklocks

- Solid brass lock body with brass inner mechanisms.
- Copper/Nickel/Chrome triple-plated rotating case-hardened steel locking bolt with no pull head.
- Spring-loaded ball bearing locking mechanism.
- Anti-picking brass mushroom pin tumblers.
- Supplied with 2 nickel plated brass keys.
- Available in 2 popular sizes.
- Hundreds of KA series are restocked for repeat orders.

10
Years

773 Series Standard Space Locks

- Rust-proof laser welded stainless steel body.
- Hidden case hardened steel shackle that provides tough bolt cutter and hacksaw resistance.
- Double-locking protection, shackle is held in position by a spring-loaded steel stud and cylinder cam.
- Brass cylinder with anti-picking mushroom pin tumblers.
- Key removable in locked position only.
- Supplied with 1 nickel-plated brass key.
- Available in chrome, red, blue, green, and yellow.
- Available in 2" to 3-1/8" for all occasions.

786 'Sabre' Series Laminated Padlocks

- Zinc plated laminated steel plates with 8 rivets for security.
- Hardened steel shackle with double ball bearing locking mechanism.
- 'Master' style keyway brass cylinder.
- Hundreds of KA series are restocked for repeat orders.
- Supplied with 1 key per lock.



787 'Baton' Series Laminated Padlocks

- Zinc plated laminated steel plates with 8 rivets for security.
- Triple plated hardened steel shackle with double steel ball bearing locking mechanism.
- Anti-pick 5 mushroom pin cylinder.
- Available in three popular sizes.
- Hundreds of KA series are restocked for repeat orders.
- Supplied with 1 key per lock.



788 Field removable Laminated Padlocks

- Same construction as the 787D series with removable core. An economic way to make a difference for the world environment.



786FD/763 Series Padlocks for Control

baton®
800-395-8880



786FD-40

786FD-50

786FD/FK Series Weatherproof Padlocks

- Zinc plated laminated steel plates with 8 rivets for security.
- Copper/Nickel/Chrome triple-plated case hardened steel shackle. FK series features a 2" extended shackle.
- Lock body and shackle are encased in a colored plastic cover for protection from humid and sandy climates.
- Double ball bearing locking mechanism.
- Supplied with 2 nickel-plated brass keys per lock.
- Available in BKA (Boxed Keyed Alike) or CKD (Carded Keyed Different).

Life
time



786FK-40

786FK-50

764S Series Economy Solid Brass Padlocks

- Ideal for locking empty units.
- Solid brass body constructed with chrome plated steel shackle.
- Brass cylinder with brass pin tumblers.
- Many KA series are restocked for your repeat orders.
- Supplied with 2 keys per lock.

10
Years



764S-25

764S-30

764S-40

764S-50

7740/6740 Series Padlocks for Control

baton®
800-395-8880

7740 Series Super Space Lock



7740-70



7740-18

7000-T1

- Laser welded stainless steel case and interior construction.
- Copper/Nickel/Chrome triple chrome plated hidden case hardened steel shackle.
- Uses Baton 7000 series 7-pin tumbler tubular key replaceable cylinder, which offers up to 600,000 different key combinations per keyway.
- Available Keyed-Alike (7740AB70), Keyed-Different (7740DB70), Master Key (7740MB70), AND Keyed-Different with Overlock (7740LB70).
- Supplied with 2 nickel plated steel keys per lock.

Life
time

6740 Series Maxi-Security Super Space Lock



7740OV70



6740-70



6740-18

6000-R

- Laser-welded stainless steel case and interior construction.
- Copper/Nickel/Chrome tripple chrome plated hidden case hardened steel shackle.
- Uses Baton 6000 series virtually pick-proof detainer disc replaceable cylinder, which offers over 1 trillion different key combinations.
- Available Keyed-Alike (KA), Keyed-Different (KD), or Master Key (MA).
- Supplied with 2 nickel-silver keys per lock.

Life
time

6020 Series Maxi-Security Padlocks

Life
time

- Uses Baton 6000 series virtually pick-proof detainer disc system, which offers over 1 trillion different key combinations. Available in S, R, or D keyways.
- Double ball bearing locking providing extra pull resistance.
- Available Keyed-Alike (KA) or Keyed-Different (KD).
- Supplied with 1 nickel-silver key per lock.



6778H70 Maxi-Security Pucklocks

Life
time

- Solid steel for ultimate crime prevention.
- Uses Baton 6000 series virtually pick-proof detainer disc system, which offers over 1 trillion different key combinations. Available in S, R, or D keyways.
- Key removable only in locked position.
- Available Keyed-Alike (KA) or Keyed-Different (KD).
- Supplied with 1 nickel-silver keys per lock.




6200 Series Maxi-Security Blocklocks

Life
time


- Used by Marines and cable companies for the worst areas.
- Snap-off mushroom head on bolt, preventing forced opening.
- Uses Baton 6000 series virtually pick-proof detainer disc system, which offers over 1 trillion different key combinations. Available in S, R, or D keyways.
- Available Keyed-Alike (KA) or Keyed-Different (KD).
- Supplied with 1 nickel-silver key per lock.




Door Profiles




681-10



681-25



681-30




681-35

681 Series Storage Master Latches


- Replaces the original latch on roll up doors.
- Uses a cylinder locking mechanism (see pp 18-21).
When inserted, it effectively becomes part of the door, making forced entry with bolt cutters impossible.
- Attached via a backing plate, making the latch resistant to prying with a crowbar.
- Available in four models, and can be installed or retrofitted on most doors.



681-10



681-25



681-30



681-35

Optional lockout plate, see page 20.

681 Lockout Plate

- Allows a manager to overlook and secure a unit with a padlock.

736 Warning Label

- Can be placed on lock or lockout plate.
- Comes in sheets of 30.

761 Warning Label Brass Padlock

- Heavy Duty Brass padlock with Red Warning Messages “WARNING UNAUTHORIZED REMOVAL OF THIS LOCK CONSTITUTES BREAKING AND ENTERING” available in 3 sizes and master key.

P6522-OV Overlock Cap for 6522

- Allows for the ability to have both an overlock feature and a master key system on the same latch without the need for a separate padlock or key.

681-SP Side plate

- Added protection for 681 Storage Master Latches.
- Comes with 2 screws and 2 end nuts.

Lockout Plate 681-30E




Warning label 736
see page 20

761-45BKA (see Page 4)

Overlock Cap



P6522-OV



681-SP

7522MC21



Auction Access and Key Control

Baton's Storage Master system is assembled and custom coded in California, USA  hence managing auction access is a snap. The code tag or the code number stamped on the cylinder (depending on the system) can be recorded on the rental agreement when the unit is rented. In the event that an auction is necessary, the manager simply calls Baton with the code for a replacement key to access the unit. If the facility is using 6522MC21, the manager may use the Master Key to access the unit. Therefore, bolt cutters are no longer necessary with the Storage Master systems.

In the event of lost keys, the code can be used to order a set of replacement keys. Keys can be delivered nationwide in as little as 24 hours. Baton keeps a computer record of all key requests. Two or more cylinders with a specific code can also be ordered. (A customized keying surcharge will apply.)



7000-T1-DK

6522MC21/6522DB21



6000-S-DK

7520 Series Economy Cylinder Locks

- 5000 combination 21 pin construction.
- Anti Pick and Anti Punch.
- Red Dot Feature.
- Supplied with 3 keys per lock.
- Overlock Feature.
- Individually carded and packaged for resale.



7520MC21-KM

752 Series Economy Cylinder Locks

- Uses a 5 pin brass tumbler flat key cylinder.
- Used with all 681 Series Cylinder Locking Storage Master latches.
- Supplied with 2 keys per lock.
- Available Keyed-Different (KD) only.
- Individually carded and packaged for resale.



752MC21

752 Series Economy Colored Cylinder Locks for Empty Units

- Uses a 5 pin brass tumbler flat key cylinder.
- Used with all 681 Series Cylinder Locking Storage Master latches.
- Available Keyed-Alike (KA) for locking empty units.
- Available in **red** and **yellow**



752AB21-Y



752AB21-R



752MC21



700-DK

Accessories

baton®
800-395-8880




732 Series ID Tags

- Available in 8 colors: yellow, green, blue, red, orange, brown, black, and purple.
- Available as a set of 160 assorted colors or a set of 100 of one color (please specify color when ordering).



731 Series Key Ring

- Available in 8 colors: yellow, green, blue, red, orange, brown, black, and purple.
- Available as a set of 200 assorted colors or a set of 100 of one color .



736 Series Ultimate Warning Label

- Sold in quantities of 30 labels/sheet.

BC Series Bolt Cutters




- Available in 3 sizes.
- Replacement jaws also available.



Lock Dimension Index

millimeters (inches)

Part #	w	h	d	cw	ch	s
761L-40	40 (1-9/16)	34 (1-5/16)	15 (9/16)	22 (7/8)	100 (3-15/16)	6 (1/4)
761L-50	50 (1-15/16)	41 (1-5/8)	17 (11/16)	28 (1-1/8)	100 (3-15/16)	8 (5/16)
761L-60	60 (2-3/8)	43 (1-11/16)	19 (3/4)	32 (1-1/4)	100 (3-15/16)	9.4 (3/8)
761T-40	40 (1-9/16)	33 (1-5/16)	15 (9/16)	22 (7/8)	23 (7/8)	6 (1/4)
761T-45	45 (1-3/4)	36 (1-7/16)	16 (5/8)	25 (1)	26 (1)	7 (9/32)
761T-50	50 (1-15/16)	41 (1-5/8)	17 (11/16)	28 (1-1/8)	30 (1-3/16)	8 (5/16)
761T-60	60 (2-3/8)	43 (1-11/16)	19 (3/4)	32 (1-1/4)	34 (1-5/16)	9.4 (3/8)
764S-25	25 (1)	21 (13/16)	9 (3/8)	13 (1/2)	12 (1/2)	4 (5/32)
764S-30	30 (1-3/16)	24 (15/16)	10 (3/8)	16 (5/8)	15 (9/16)	4.5 (3/16)
764S-40	40 (1-9/16)	30 (1-3/16)	11 (7/16)	21 (13/16)	21 (13/16)	6 (1/4)
764S-50	50 (1-15/16)	36 (1-7/16)	12 (1/2)	22 (7/8)	25 (1)	7 (9/32)
772-070	70 (2-3/4)	-	-	20 (13/16)	17 (11/16)	9.5 (3/8)
773-060	70 (2-3/4)	-	-	20 (13/16)	17 (11/16)	9.5 (3/8)
773-070	70 (2-3/4)	-	-	20 (13/16)	17 (11/16)	9.5 (3/8)
775-40	40 (1-9/16)	-	-	-	16 (5/8)	7.3 (9/32)
775-50	50 (1-15/16)	-	-	-	18 (11/16)	9 (11/32)
775-60	60 (2-3/8)	-	-	-	20 (13/16)	11 (7/16)
776-50	50 (1-15/16)	-	-	-	20 (13/16)	9 (11/32)
777-75	75 (2-15/16)	48 (1-7/8)	18 (11/16)	24 (15/16)	14 (9/16)	11 (7/16)
777-90	90 (3-9/16)	60 (2-3/8)	18 (11/16)	37 (1-7/16)	19 (3/4)	12 (15/32)
778T-70	70 (2-3/4)	-	-	-	-	-
786D-40	40 (1-9/16)	36 (1-7/16)	22 (7/8)	20 (13/16)	21 (13/16)	6.3 (1/4)
786D-44	44 (1-3/4)	33 (1-5/16)	23 (7/8)	24 (15/16)	24 (15/16)	7.1 (9/32)
786D-50	50 (1-15/16)	39 (1-9/16)	26 (1)	24 (15/16)	25 (1)	8.7 (11/32)
786FD-40	46 (1-13/16)	43 (1-11/16)	28 (1-1/8)	19 (3/4)	28 (1-1/8)	7.5 (9/32)
786FD-50	56 (2-3/16)	47 (1-7/8)	32 (1-1/4)	23 (7/8)	30 (1-3/16)	10.5 (13/32)
786FK-40	46 (1-13/16)	43 (1-11/16)	28 (1-1/8)	19 (3/4)	50 (1-15/16)	7.5 (9/32)
786FK-50	56 (2-3/16)	47 (1-7/8)	32 (1-1/4)	23 (7/8)	50 (1-15/16)	10.5 (13/32)
787D-	see 786D-					
789-48	48 (1-7/8")	-	-	21 (13/16)	22 (7/8)	7 (9/32)
6020-30	30 (1-3/16")	32 (1-1/4)	20 (13/16)	20 (13/16)	20 (13/16)	5 (3/16)
6020-40	40 (1-9/16")	38 (1-1/2)	20 (13/16)	21 (13/16)	28 (1-1/8)	7 (9/32)
6020-45	45 (1-3/4")	43 (1-11/16)	21 (13/16)	22 (14/16)	28 (1-1/8)	9 (11/32)
6020-55	55 (2-3/16")	47 (1-7/8)	21 (13/16)	27 (1-1/16)	28 (1-1/8)	11 (7/16)
6200-80	80 (3-1/8")	65 (2-9/16)	29 (1-1/8)	36 (1-7/16)	18 (11/16)	11 (7/16)
6210-60	60 (2-3/8")	52 (2-1/16)	24 (15/16)	22 (7/8)	14 (9/16)	11 (7/16)
6740-70	70 (2-3/4")	-	-	20 (13/16)	17 (11/16)	9.5 (3/8)
7740-70	70 (2-3/4")	-	-	20 (13/16)	17 (11/16)	9.5 (3/8)



Baton Warranty

Baton brand locks are warranted to be free of manufacturing defects for a certain period as stated from the date of purchase (change in appearance due to oxidation and normal discoloration excluded).

Simply return the lock with two keys to:

Baton Lock Company
14275 Commerce Drive
Garden Grove, CA 92843

Baton will repair or replace it, and return it at no cost. Baton is not liable for incidental or consequential loss or damage.

Baton Lock & Hardware Co., Inc.
14275 Commerce Drive,
Garden Grove, CA 92843

Phone: (714) 265-3636
Fax: (714) 265-3630
Web: www.batonlockusa.com
Email: batonlock@aol.com

baton[®]
1-800-395-8880



BULK RATE
U.S. POSTAGE
PAID

GARDEN GROVE
CALIFORNIA
PERMIT NO. 110

VENDING LOCKS!

Add to your revenue by adding vending to your business.
Got other businesses that need security? We got you covered.
Choose a key and they can be keyed to the same code!
We also accept other manufacturers codes.



*Home of the ORIGINAL Changable Locks! (US PATENT: 6,357,271)